

according to Regulation (EC) No 1907/2006

#### Wetrok Granu-floor

Revision date: 11.04.2017 Product code: 586 Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Wetrok Granu-floor

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Washing and cleaning products (including solvent based products)

Restricted to professional users.

### 1.3. Details of the supplier of the safety data sheet

Company name: Wetrok AG

Headquarter

Street: Steinackerstr. 62

Place: CH-8302 Kloten, Switzerland

Telephone: +41 (0)43 255 51 51 e-mail: chemie@wetrok.ch

Contact person: Head Regulatory Telephone: +41 (0)43 255 53 50

Internet: www.wetrok.ch

Responsible Department: BU Chemicals / Regulatory Mobile + 41 (0)79 657 45 20

1.4. Emergency telephone +41 44 251 51 51 (Tel. 145) (Toxikologisches Zentrum)

number:

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

### Regulation (EC) No. 1272/2008

Hazard categories:

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Causes serious eye irritation.

### 2.2. Label elements

## Regulation (EC) No. 1272/2008

### Hazard components for labelling

Undecanol, branched and linear, ethoxylated 2,5,8,11-Tetramethyl-6-dodecyn-5,8-diol ethoxylate

Signal word: Warning

Pictograms:



## **Hazard statements**

H319 Causes serious eye irritation.

## **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

#### 2.3. Other hazards

No information available.



according to Regulation (EC) No 1907/2006

### Wetrok Granu-floor

Revision date: 11.04.2017 Product code: 586 Page 2 of 8

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to Regulation (EC) No. 1272/2008 [CLP]				
497-19-8	sodium carbonate				
	207-838-8	011-005-00-2	01-2119485498-19		
	Eye Irrit. 2; H319				
77-92-9	Citric acid				
	201-069-1		01-2119457026-42		
	Eye Irrit. 2; H319				
127036-24-2	Undecanol, branched and linear, ethoxylated				
	Acute Tox. 4, Eye Dam. 1; H302 H318				
169117-72-0	2,5,8,11-Tetramethyl-6-dodecyn-5,8-diol ethoxylate				
	Eye Dam. 1, Aquatic Chronic 3; H318 H412				

Full text of H and EUH statements: see section 16.

## Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % non-ionic surfactants, perfumes (Butylphenyl methylpropional).

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# **General information**

When in doubt or if symptoms are observed, get medical advice. If medical advice is needed, have product container or label at hand.

#### After inhalation

Provide fresh air.

#### After contact with skin

Rinse skin with water/shower.

### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

### After ingestion

Rinse mouth immediately and drink plenty of water.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media



according to Regulation (EC) No 1907/2006

### Wetrok Granu-floor

Revision date: 11.04.2017 Product code: 586 Page 3 of 8

## Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid generation of dust. Do not breathe dust. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

# Advice on safe handling

No special measures are necessary.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

# 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed.

## Advice on storage compatibility

No special measures are necessary.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### 8.2. Exposure controls





## Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.



according to Regulation (EC) No 1907/2006

### Wetrok Granu-floor

Revision date: 11.04.2017 Product code: 586 Page 4 of 8

### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: solid (Powder)

Colour: green

Odour: characteristic

Test method

pH-Value (at 20 °C): 7.0 - 7.5 (10 g/L)

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Flash point:

not determined
not applicable

**Flammability** 

Solid: not determined
Gas: not applicable

Lower explosion limits: not determined
Upper explosion limits: not determined

**Auto-ignition temperature** 

Solid: not determined
Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

Not oxidizing.

Vapour pressure: not determined

Density: not determined

Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient: not determined Vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: not determined



according to Regulation (EC) No 1907/2006

### Wetrok Granu-floor

Revision date: 11.04.2017 Product code: 586 Page 5 of 8

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

### 10.4. Conditions to avoid

Humidity

## 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
497-19-8	sodium carbonate						
	oral	LD50 mg/kg	4090	Rat	IUCLID		
77-92-9	Citric acid						
	oral	LD50 mg/kg	5400	Maus			
	dermal	LD50 mg/kg	> 2000	Ratte			
127036-24-2	Undecanol, branched and linear, ethoxylated						
	oral	ATE mg/kg	500				

## Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Eve damage/irritation:

OECD TG 438 + Histopathology

Bridging principle "Substantially similar mixtures". (DetNet/1117)

## Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

#### Wetrok Granu-floor

Revision date: 11.04.2017 Product code: 586 Page 6 of 8

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Additional information on tests

Classification according to Regulation (EC) No. 1272/2008 [CLP] Calculation method. The product has not been tested

## **SECTION 12: Ecological information**

### 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
497-19-8	sodium carbonate						
	Acute fish toxicity	LC50	300 mg/l	96 h	Lepomis macrochirus		
	Acute crustacea toxicity	EC50	265 mg/l	48 h	Daphnia magna	IUCLID	
77-92-9	Citric acid						
	Acute fish toxicity	LC50	440 mg/l		Leuciscus idus melanotus		
	Acute crustacea toxicity	EC50 mg/l	1535	48 h	Daphnia magna		

### 12.2. Persistence and degradability

The product has not been tested.

### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
77-92-9	Citric acid	-0,12

#### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

No information available.

## **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

# Waste disposal number of waste from residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately

collected fractions (except 15 01); detergents containing hazardous substances

Classified as hazardous waste.

## Contaminated packaging

Dispose of waste according to applicable legislation.



according to Regulation (EC) No 1907/2006

#### Wetrok Granu-floor

Revision date: 11.04.2017 Product code: 586 Page 7 of 8

## **SECTION 14: Transport information**

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU regulatory information**

### **Additional information**

To follow: Regulation (EC) No. 648/2004 (Detergents regulation), 850/2004/EC, 1107/2009/EC, 649/2012/EC.

### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC).

Water contaminating class (D): 1 - slightly water contaminating

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s):

1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%



according to Regulation (EC) No 1907/2006

### Wetrok Granu-floor

Revision date: 11.04.2017 Product code: 586 Page 8 of 8

## Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)