

Wetrok AG

according to Regulation (EC) No 1907/2006

# Wetrok Karpex

Print date: 18.01.2016 Product code: 360 Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Wetrok Karpex

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Washing and cleaning products (including solvent based products)

Restricted to professional users.

#### 1.3. Details of the supplier of the safety data sheet

Company name: Wetrok AG

Headquarter

Street: Steinackerstr. 62

Place: CH-8302 Kloten, Switzerland

Telephone: +41 (0)43 255 51 51 e-mail: chemie@wetrok.ch

Contact person: Head Regulatory Telephone: +41 (0)43 255 53 50

Internet: www.wetrok.ch

Responsible Department: BU Chemicals / Regulatory

Mobile + 41 (0)79 657 45 20

**1.4. Emergency telephone** Im Notfall: +41 44 251 51 51 (Tel. 145) (Toxikologisches Zentrum)

number:

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Directive 67/548/EEC or 1999/45/EC

This mixture is not classified as hazardous according to Directive 1999/45/EC.

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is not classified as hazardous according to Regulation (EC) No. 1272/2008.

# 2.2. Label elements

### Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

#### Additional advice on labelling

No marking required according to 1999/45/EC, appendix V B, No. 9.

# 2.3. Other hazards

No risks worthy of mention. Please observe the information on the safety data sheet at all times.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures



according to Regulation (EC) No 1907/2006

## **Wetrok Karpex**

Print date: 18.01.2016 Product code: 360 Page 2 of 8

### Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
203-539-1	1-methoxy-2-propanol; monopropylene glycol methyl ether	1 - < 5 %
107-98-2	R10-67	
603-064-00-3	Flam. Liq. 3, STOT SE 3; H226 H336	
252-104-2	2-(Methoxymethylethoxy)-propanol	1 - < 5 %
34590-94-8		
01-2119450011-60		
230-785-7	Potassium pyrophosphate	1 - < 5 %
7320-34-5	Xi - Irritant R36	
	Skin Irrit. 2, Eye Irrit. 2; H315 H319	
239-854-6	Sodium p-cumenesulphonate	1 - < 5 %
15763-76-5	Xi - Irritant R36	
	Eye Irrit. 2; H319	
01-2119489411-37		

Full text of R, H and EUH phrases: see section 16.

# Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, perfumes (Limonene, Citral, Hexyl cinnamal, Linalool).

### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice.

## After inhalation

Provide fresh air.

# After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Call a physician immediately.

### After ingestion

Rinse mouth immediately and drink plenty of water.

## 4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date. In all cases of doubt, or when symptoms persist, seek medical advice.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. May produce an allergic reaction. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.



Wetrok AG

according to Regulation (EC) No 1907/2006

# Wetrok Karpex

Print date: 18.01.2016 Product code: 360 Page 3 of 8

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment. Wear suitable protective clothing, gloves and eye/face protection.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

# Advice on safe handling

Avoid contact with skin and eyes. When using do not eat, drink, smoke, sniff. Observe instructions for use. Use only in well-ventilated areas.

### Advice on protection against fire and explosion

The product is not: Combustible.

The product is not: Explosive.

# Further information on handling

No special handling instructions are necessary.

## 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. Protect against direct sunlight. Store in a cool dry place. Recommended storage temperature: at room temperature

#### Advice on storage compatibility

No special measures are necessary.

### Further information on storage conditions

Minimum storage temperature: 15°C Maximum storage temperature: 25°C

## 7.3. Specific end use(s)

Notice the directions for use on the label.

### SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters



according to Regulation (EC) No 1907/2006

# **Wetrok Karpex**

Print date: 18.01.2016 Product code: 360 Page 4 of 8

### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
107-98-2	1-Methoxypropan-2-ol	100	375		TWA (8 h)	WEL
		150	560		STEL (15 min)	WEL

#### Additional advice on limit values

Exposure limit values: No data available

### 8.2. Exposure controls



### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. When using do not eat, drink, smoke, sniff.

## Eye/face protection

Wear eye/face protection.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves are to be worn: DIN EN 374

# Skin protection

Wear suitable protective clothing

# Respiratory protection

In case of inadequate ventilation wear respiratory protection. Respiratory protection necessary at: insufficient ventilation.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: light yellow
Odour: characteristic

Test method

pH-Value: 9.5 - 10.5

Changes in the physical state

Melting point: not determined Initial boiling point and boiling range: No data available Flash point: No data available

**Flammability** 

Solid: not applicable
Gas: not applicable



according to Regulation (EC) No 1907/2006

## **Wetrok Karpex**

Print date: 18.01.2016 Product code: 360 Page 5 of 8

#### **Explosive properties**

not applicable

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

**Auto-ignition temperature** 

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined

**Oxidizing properties** 

Not oxidizing.

Vapour pressure: not determined Vapour pressure: not determined

Density: 1.035 - 1.045 g/cm³ ASTM D 7777

Bulk density: not applicable Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient:

Viscosity / dynamic:

Viscosity / kinematic:

Inot determined

not determined

not determined

not determined

rot determined

rot determined

vapour density:

Inot determined

rot determined

rot determined

rot determined

9.2. Other information

Solid content: not determined

none

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

## 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

## 10.4. Conditions to avoid

Conditions to avoid: frost. Protect from sunlight.

## 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

This article doesn't contain dangerous substances or preparations intended to be released under normal or reasonably foreseeable conditions of use.

# **SECTION 11: Toxicological information**



according to Regulation (EC) No 1907/2006

# **Wetrok Karpex**

Print date: 18.01.2016 Product code: 360 Page 6 of 8

### 11.1. Information on toxicological effects

### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure routes	Method	Dose	Species	Source		
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether						
	oral	LD50	> 5000 mg/kg	Rat	IUCLID		
	dermal	LD50	11000 mg/kg	Rabbit			

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

#### Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Additional information on tests

Classification according to Regulation (EC) No. 1272/2008 [CLP] The product has not been tested.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name							
	Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source		
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether							
	Acute fish toxicity	LC50 mg/l	4600 - 10000	96 h	Leuciscus idus	IUCLID		
	Acute algae toxicity	ErC50	> 1000 mg/l	72 h	Selenastrum capricornutum			
	Acute crustacea toxicity	EC50	> 500 mg/l	48 h	Daphnia magna	IUCLID		

### 12.2. Persistence and degradability

The product has not been tested. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

#### 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
107-98-2	1-methoxy-2-propanol; monopropylene glycol methyl ether	-0,437

## 12.4. Mobility in soil

If product enters soil, it will be mobile and may contaminate groundwater.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.





according to Regulation (EC) No 1907/2006

# Wetrok Karpex

Print date: 18.01.2016 Product code: 360 Page 7 of 8

#### **Further information**

Avoid release to the environment.

Classification according to Regulation (EC) No. 1272/2008 [CLP] The product has not been tested.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

### Waste disposal number of waste from residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately

collected fractions (except 15 01); detergents containing hazardous substances

Classified as hazardous waste.

#### Waste disposal number of used product

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately

collected fractions (except 15 01); detergents containing hazardous substances

Classified as hazardous waste.

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

### **SECTION 14: Transport information**

## Land transport (ADR/RID)

**14.1. UN number:** No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

## 14.6. Special precautions for user

No information available.

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** regulatory information

2010/75/EU (VOC): 3.026 % (31.322 g/l) 2004/42/EC (VOC): 3.026 % (31.322 g/l)

**Additional information** 

Regulation (EC) No. 648/2004 (Detergents regulation)

# **National regulatory information**

Water contaminating class (D): 1 - slightly water contaminating



Wetrok AG

according to Regulation (EC) No 1907/2006

# Wetrok Karpex

Print date: 18.01.2016 Product code: 360 Page 8 of 8

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,9,10,11,12,13,14,15.

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

## Relevant R phrases (number and full text)

10 Flammable.36 Irritating to eyes.

67 Vapours may cause drowsiness and dizziness.

# Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
EUH210 Safety data sheet available on request.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)